

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	66	(final or instantiable or ("can" with instantia\$9)) and (database with schema with design\$3) and (superclass or (super adj class) or childclass or (child\$3 adj class) or inherit\$5 or instantiat\$3) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:56
S2	59	((map or mapping) with Java) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:56
S3	6	((map or mapping) with ((Java with connect\$9) or JDBC)) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:57
S4	7	(UML or (unified adj modeling)) and (XMI or (markup with language with meta with interchange)) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:52
S5	106	(database with catalog) and (database with schema) and (@ad<"20010731") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:58
S6	56	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with database with (metadata or (meta adj data))) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/02 18:34
S7	17	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with (metadata or (meta adj data) or schema)) and (XMI or (markup with language with meta with interchange)) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 12:16
S8	36	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with database with (metadata or (meta adj data) or schema)) same ((various\$ or plural\$5 or different) with (vendor or environment or platform or system))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 13:31
S9	77	(transform\$3 with (metadata or (meta adj data))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 13:27

S10	1	"20030028511"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 06:35
S11	2	"6658425".pn. or "6023578".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 21:54
S12	1671	(database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 09:03
S13	186	(database with schema) and (abstract with class) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 21:56
S14	62	(database with schema with design\$3) and (abstract with (class or data)) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 22:21
S15	55	(database with schema with design\$3) and (abstract with (class or data)) and (superclass or (super adj class) or childclass or (child\$3 adj class) or inherit\$5 or instantiat\$3) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 08:22
S16	0	"20050060332" or "20020138819"	USPAT	OR	OFF	2005/06/02 18:30
S17	2	"20050060332" or "20020138819"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/06/05 21:12
S18	164	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with (first or second or another or differen\$7) with (metadata or (meta adj data)))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/05 21:16
S19	0	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with (first or second or another or differen\$7) with (metadata or (meta adj data)))) and (@ad<"20010731") and (shar\$3 with relation\$3 with database with type)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:45
S20	9	(shar\$3 with relation\$3 with database with type) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:45
S21	113	(UML or (unified adj modeling)) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:52

S22	44	(UML or (unified adj modeling)) and (database with schema) and (@ad<"20010731") and (abstract near3 class) and (sql or (structured adj query adj language))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:53
S23	7708	(707/100 or 707/101 or 707/102 or 707/103R or 707/103Y or 707/103x or 707/103Z).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/06/05 21:17
S24	34	S23 and ((transform\$3 or translats\$3 or convert\$3 or map or mapping) with (first or second or another or differen\$7) with (metadata or (meta adj data))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/06/05 21:17
S25	9	S23 and (UML or (unified adj modeling)) and (database with schema) and (@ad<"20010731") and (abstract near3 class) and (sql or (structured adj query adj language))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/06/05 21:17